

To: JAMES D WALKER[jameswalker5@msn.com]
Cc: Jonathan.Koplos@cadmusgroup.com[Jonathan.Koplos@cadmusgroup.com]; Rao, Kate[Rao.kate@epa.gov]
From: Rumrill, Nancy
Sent: Fri 2/24/2017 1:25:09 AM
Subject: RE: Draft comments/requests - Excelsior

This is good. Thanks, Nancy



United States Environmental Protection Agency

Nancy Rumrill (rumrill.nancy@epa.gov)

Drinking Water Protection Section (WTR-3-2)

US EPA, Region IX

75 Hawthorne St.

San Francisco, CA 94105

Phone (415) 972-3293

From: JAMES D WALKER [mailto:jameswalker5@msn.com]
Sent: Thursday, February 23, 2017 2:08 PM
To: Rumrill, Nancy <Rumrill.Nancy@epa.gov>
Cc: Jonathan.Koplos@cadmusgroup.com; Rao, Kate <Rao.kate@epa.gov>
Subject: RE: Draft comments/requests - Excelsior

Hi Nancy,

I my edits and clarifications are inserted in the attached version of the comments, as you requested. If you have any questions, please let me know.

Thanks,

Jim

Sent from Mail for Windows 10

From: Rumrill, Nancy
Sent: Thursday, February 23, 2017 12:50 PM
To: JAMES D WALKER
Subject: Draft comments/requests - Excelsior



United States Environmental Protection Agency

Nancy Rumrill (rumrill.nancy@epa.gov)

Drinking Water Protection Section (WTR-3-2)

US EPA, Region IX

75 Hawthorne St.

San Francisco, CA 94105

Phone (415) 972-3293